High Schools Combined Kootenai Alliance for Children and Families, ID


December 10, 2008


Contents


1	Lifetime & Past 30 Days Frequency of Use Across Years	1
2	Perceived Risk of Use	28
3	Parental Disapproval of Use	33
4	Average Age of First Use	37
5	Protective and Risk Factors	42

1 Lifetime & Past 30 Days Frequency of Use Across Years

The first set of graphs present data on the frequency of use. For the each drug, there is a chart reporting *Lifetime Use* (the percentage of students who reported any use in their lifetime) and *Past 30 Days Use* (the percentage of students who reported use in the past 30 days).











Lifetime Use of Inhalants


چ^ک



















Figure 10: Lifetime Use of Methamphetamines \$. 12th გ.∕ خ0 9th Source: PRIDE Survey دئ






























Figure 20: Past 30 Day Use of Heroin









Past 30 Day Use of Ecstasy







Figure 23: Past 30 Day Use of Methamphetamines




Past 30 Day Use of Prescription Pain Relievers (Vicodin, Oxycontin, ...)



Past 30 Day Use of Prescription Tranquilizers (Xanax, Valium, ...)





Past 30 Day Use of Prescription Stimulants (Ritalin, Adderall, ...)





2 Perceived Risk of Use

The second set of graphs present data on the perceived risk of drugs. Each graph presents the percent of students who think that people put themselves at *Moderate Risk* or *Great Risk* if they smoke one or more packs of cigarettes per day, try marijuana once or twice, smoke marijuana regularly, or take one or two drinks of an alcoholic beverage nearly every day.












3 Parental Disapproval of Use

The third set of graphs present data on the student's perception of their parents disapproval of using drugs. Each graph presents the percent of students who think that their parents would feel it is *Wrong* or *Very Wrong* for the student to drink alcohol, smoke cigarettes or smoke marijuana.











4 Average Age of First Use

The fourth set of graphs present data on the average age of first use of cigarettes, alcohol and marijuana for those students who report using.









5 Protective and Risk Factors

The fifth set of graphs present data on protective and risk factor scores across years for the domain groups of community, family, school and peer-individual.

